

457e. MINERAL MEDIUM WITH DIBENZOFURAN

Prepare agar of medium 457. Dissolve 8.4 g/l dibenzofuran in DMSO (dimethylsulfoxide) and filtersterilize. Add 10 ml of this stock solution to 1 l mineral agar cooled to about 50°C. Swirl well during pouring plates.