Microorganisms



1110: NAUTILIA PROFUNDICOLA MEDIUM

NaCl	20.00	g
MgCl ₂ x 6 H ₂ O	3.00	g
CaCl ₂ x 2 H ₂ O	0.15	g
KCI	0.50	g
NH ₄ Cl	0.25	g
KH ₂ PO ₄	0.20	g
Trace element solution SL-10	1.00	ml
Selenite-tungstate solution	1.00	ml
Sodium resazurin (0.1% w/v)	0.50	ml
Sulfur (powdered)	5.00	g
Na ₂ CO ₃	1.50	g
Wolin's vitamin solution (10x)	1.00	ml
$Na_2S \times 9 H_2O$	0.50	g
Distilled water	1000.00	ml

- 1. Dissolve ingredients (except sulfur, carbonate, vitamins and sulfide), then sparge medium with 80% H_2 and 20% CO_2 gas mixture for 30 45 min to make it anoxic. Dispense medium under same gas atmosphere into anoxic Hungate-type tubes or serum vials (to 20% of volume) that contain already the appropriate amount of sulfur. For sterilization heat cultivation vessels in a water bath to 90 100°C for 1 2 hours on each of three successive days. Add vitamins and sulfide from sterile anoxic stock solutions prepared under 100% N_2 gas and carbonate from a sterile anoxic stock solution prepared under 80% N_2 and 20% CO_2 gas mixture. The vitamin solution should be sterilized by filtration. Adjust the pH of the complete medium to 7.0.
- 2. After inoculation, pressurize culture vials to 1 bar overpressure with sterile 80% H_2 and 20% CO_2 gas mixture.

Trace element solution SL-10 (from medium 320)

HCI (25%)	10.00	ml
FeCl ₂ x 4 H ₂ O	1.50	g
ZnCl ₂	70.00	mg
$MnCl_2 \times 4 H_2O$	100.00	mg
H ₃ BO ₃	6.00	mg
CoCl ₂ x 6 H ₂ O	190.00	mg
CuCl ₂ x 2 H ₂ O	2.00	mg
$NiCl_2 \times 6 H_2O$	24.00	mg
$Na_2MoO_4 \times 2 H_2O$	36.00	mg
Distilled water	990.00	ml

First dissolve FeCl₂ in the HCl, then dilute in water, add and dissolve the other salts. Finally

Microorganisms

1110: NAUTILIA PROFUNDICOLA MEDIUM



make up to 1000.00 ml.

Selen	ite-tun	gstate	solut	ion (from	n medium	385)
-------	---------	--------	-------	------------------	----------	------

NaOH	0.50	g
$Na_2SeO_3 \times 5 H_2O$	3.00	mg
$Na_2WO_4 \times 2 H_2O$	4.00	mg
Distilled water	1000.00	ml

Volin's vitamin solution (10x) (from medium 120)					
Biotin	20.00	mg			
Folic acid	20.00	mg			
Pyridoxine hydrochloride	100.00	mg			
Thiamine HCI	50.00	mg			
Riboflavin	50.00	mg			
Nicotinic acid	50.00	mg			
Calcium D-(+)-pantothenate	50.00	mg			
Vitamin B ₁₂	1.00	mg			
p-Aminobenzoic acid	50.00	mg			
(DL)-alpha-Lipoic acid	50.00	mg			
Distilled water	1000.00	ml			