

113a: SULFURIMONAS HONGKONGENSIS MEDIUM

Final pH: 7.0 - 7.2 Final volume: 1004 ml

Solution A	942.00	ml
Solution B	40.00	ml
Solution C	20.00	ml
Solution D	1.00	ml
Solution E	1.00	ml

Solutions A, B, and D are prepared under 100% N₂ gas atmosphere and sterilized by autoclaving at 121° C for 15 min. Solution C is sterilized by filtration under an atmosphere of 80% N₂ and 20% CO₂ gas mixture. Solution E is prepared under a 100% N₂ gas atmosphere and sterilized by filtration. Appropriate amounts of solutions B to E are added to the sterile solution A in the sequence as indicated. Check the pH of the complete medium and adjust to pH 7.0-7.2, if necessary.

Solution A		
NaCl	25.00	g
KH ₂ PO ₄	2.00	g
KNO ₃	2.00	g
NH ₄ Cl	1.00	g
$MgSO_4 \times 7 H_2O$	0.80	g
Trace element solution SL-4	2.00	ml
Distilled water	940.00	ml
Solution B		
$Na_2S_2O_3 \times 5 H_2O$	5.00	g
Distilled water	40.00	ml
Solution C		
Na ₂ CO ₃	1.00	g
Distilled water	20.00	ml
Solution D		
$FeSO_4 \times 7 H_2O$	2.00	mg
H_2SO_4 (0.1 N)	1.00	ml

Microorganisms



113a: SULFURIMONAS HONGKONGENSIS MEDIUM

Solution E Wolin's vitamin solution (10x)	1.00	ml
Trace element solution SL-4 (from medium 1	L4)	
Na ₂ -EDTA	0.50	g
$FeSO_4 \times 7 H_2O$	0.20	g
$ZnSO_4 \times 7 H_2O$	0.10	g
$MnCl_2 \times 4 H_2O$	0.03	g
H ₃ BO ₃	0.30	g
$CoCl_2 \times 6 H_2O$	0.20	g
$CuCl_2 \times 2 H_2O$	0.01	g
$NiCl_2 \times 6 H_2O$	0.02	g
$Na_2MoO_4 \times 2 H_2O$	0.03	g
Distilled water	1000.00	ml

First dissolve EDTA in distilled water and adjust pH to 7.0 using 2 N NaOH; then add other compounds.

Wolin's vitamin solution (10x) (from medium	n 120)	
Biotin	20.00	mg
Folic acid	20.00	mg
Pyridoxine hydrochloride	100.00	mg
Thiamine HCl	50.00	mg
Riboflavin	50.00	mg
Nicotinic acid	50.00	mg
Calcium D-(+)-pantothenate	50.00	mg
Vitamin B ₁₂	1.00	mg
p-Aminobenzoic acid	50.00	mg
(DL)-alpha-Lipoic acid	50.00	mg
Distilled water	1000.00	ml