Microorganisms



1488. METHYLOCEANUS CENITEPIDUS MEDIUM

Solution 1 (10x NMS salts):	
NH4Cl 10.00) g
$MgSO_4 \times 6 H_2O$ 10.00	g
$CaCl_2 \times 2 H_2O$ 2.00	g
2% NaCl in distilled water 1000.00) ml

Dissolve the ingredients listed above (in that order) in about 700 ml of 2% NaCl, and then make up to 1 litre with 2% NaCl.

Solution 2 (Fe EDTA): Fe EDTA Distilled water	3.80 100.00	g ml
Solution 3 (Sodium molybdate): Na ₂ MoO ₄ x 2 H ₂ O Distilled water	0.26 1000.00	g ml
Trace elements: EDTA di sodium salt CuSO ₄ x 5 H ₂ O FeSO ₄ x 7 H ₂ O ZnSO ₄ x 7 H ₂ O H ₃ BO ₃ CoCl ₂ x 6 H ₂ O MnCl ₂ x 4 H ₂ O NiCl ₂ x 6 H ₂ O Distilled water	25.00 20.00 50.00 40.00 1.50 5.00 2.00 1.00 100.00	mg mg mg mg mg mg mg
May be stored at 4°C in the dark		
Phosphate buffer: $Na_2HPO_4 \times 12 H_2O$ KH_2PO_4 Distilled water	71.60 26.00 1000.00	g g ml

Dissolve in about 800 ml of water, adjust the pH to 6.8 and make up to 1 litre.

Prepare the growth medium as follows:

Dilute 100 ml solution 1 to 1 litre with 2% NaCl and then add 1 ml of solution 3, 1 ml of the trace elements, and 0.1 ml of solution 2. If solid media is required add 1.5% agar. Autoclave the phosphate buffer separately. When the growth medium is cool 10 ml/l of the phosphate buffer is added - if too warm the phosphate will precipitate. Add filter-sterilized methanol to produce 1% (final concentration).