## **Microorganisms**



#### 383a: DESULFOTIGNUM MEDIUM

Solution A	962.00	ml
Solution B	20.00	ml
Solution C	4.00	ml
Solution D	1.00	ml
Solution E	13.00	ml

- 1. Solution A is sparged with 80%  $N_2$  and 20%  $CO_2$  gas mixture to reach a pH below 6 (at least 30 min), then dispensed under the same gas atmosphere into anoxic Hungate-type tubes or serum vials and autoclaved. Solution B is autoclaved separately under 80%  $N_2$  and 20%  $CO_2$  gas atmosphere. Solutions C and D are prepared under 100%  $N_2$  gas and filter-sterilized. Solution E is autoclaved under 100%  $N_2$  gas. To complete the medium appropriate amounts of solutions B to E are added to the sterile solution A in the sequence as indicated. Final pH of the medium should be 7.0 7.2.
- 2. Note: Addition of 10 20 mg sodium dithionite per liter (e.g. from 5% (w/v) solution freshly prepared under  $N_2$  and filter-sterilized) may stimulate growth of some strains at the beginning. For transfers use 5 10% inoculum. Incubate all strains in the dark.

#### **Solution A**

3.00	g
0.20	g
0.30	g
15.00	g
3.00	g
0.50	g
0.15	g
1.00	ml
1.00	ml
0.50	ml
960.00	ml
	0.20 0.30 15.00 3.00 0.50 0.15 1.00 1.00

#### Solution B

$Na_2CO_3$	1.00	g
Distilled water	20.00	ml

#### **Solution C**

Na-pyruvate	1.00	g
Distilled water	4.00	ml

# **Microorganisms**

383a: DESULFOTIGNUM MEDIUM



#### **Solution D**

Wolin's vitamin solution (1	10x)	1.00	ml

#### **Solution E**

$Na_2S \times 9 H_2O$	0.40	g
Distilled water	13.00	ml

## **Selenite-tungstate solution** (from medium 385)

NaOH	0.50	g
$Na_2SeO_3 \times 5 H_2O$	3.00	mg
$Na_2WO_4 \times 2 H_2O$	4.00	mg
Distilled water	1000.00	ml

#### Trace element solution SL-10 (from medium 320)

HCI (25%)	10.00	ml
FeCl <sub>2</sub> x 4 H <sub>2</sub> O	1.50	g
ZnCl <sub>2</sub>	70.00	mg
MnCl <sub>2</sub> x 4 H <sub>2</sub> O	100.00	mg
H <sub>3</sub> BO <sub>3</sub>	6.00	mg
CoCl <sub>2</sub> x 6 H <sub>2</sub> O	190.00	mg
CuCl <sub>2</sub> x 2 H <sub>2</sub> O	2.00	mg
NiCl <sub>2</sub> x 6 H <sub>2</sub> O	24.00	mg
$Na_2MoO_4 \times 2 H_2O$	36.00	mg
Distilled water	990.00	ml

First dissolve  $FeCl_2$  in the HCl, then dilute in water, add and dissolve the other salts. Finally make up to 1000.00 ml.

## Wolin's vitamin solution (10x) (from medium 120)

Biotin	20.00	mg
Folic acid	20.00	mg
Pyridoxine hydrochloride	100.00	mg
Thiamine HCI	50.00	mg
Riboflavin	50.00	mg
Nicotinic acid	50.00	mg
Calcium D-(+)-pantothenate	50.00	mg
Vitamin B <sub>12</sub>	1.00	mg
p-Aminobenzoic acid	50.00	mg
(DL)-alpha-Lipoic acid	50.00	mg
Distilled water	1000.00	ml