



## Certificate of Origin and Analysis for BRUKER Quality Control Strains

We declare that the following DSMZ culture

DSM-No. Strain	Batch-No.	Risk Group
DSM 1103 Escherichia coli	February 2019	2

√ is an authentic DSMZ culture derived directly from the strain held in the DSMZ

√ has been produced in DSMZ laboratories at the address given below

√ is of German preferential origin

√ has been tested by DSMZ control procedures with respect to purity and identity

### Viability

Viability of the above batch was tested by subculturing.

### Purity

Purity of the above batch was checked after production. This check included microscopical and macroscopical observations and selected physiological, chemosystematic and molecular based tests.

### Authenticity


Authenticity of the above batch was checked by the following techniques:

- API<sup>®</sup> (Analytical Profile Index)
- Whole cell fatty acid composition
- RiboPrinting<sup>®</sup> (molecular characterisation)
- MALDI-TOF mass spectrometry (BRUKER; see next page)

Date: March 01, 2019

Dr. Sabine Gronow, Leibniz-Institut DSMZ-Deutsche Sammlung  
von Mikroorganismen und Zellkulturen GmbH  
E-Mail: [sgr@dsmz.de](mailto:sgr@dsmz.de)

**DSM 1103 *Escherichia coli* (February 2019)**



MALDI-TOF mass spectra acquired on a MALDI Biotyper system (microflex LT mass spectrometer) at Bruker. The respective spectrum is stored at Bruker.