

Compendium of Actinobacteria from Dr. Joachim M. Wink
University of Braunschweig

| | | |
|-------------|----------------------------|--|
| Strain | | DSM 22806 |
| Genus | | <i>Leucobacter</i> |
| Species | | <i>aerolatus</i> |
| Status | | |
| Risk group | | L1 |
| Type strain | | DSM 22806, Sj 10, CCM 7705 |
| Reference | | |
| Author | | Martin, E., Lodders, N., Jäckel, U., Schumann, P., Kämpfer, P. |
| Title | | <i>Leucobacter aerolatus</i> sp. nov., from the air of a duck barn |
| Journal | | <i>Int J Syst Evol Microbiol</i> |
| Volume | | 60 (Pt 12) |
| Page | | 2838-2842 |
| Year | | 2010 |
| Morphology | | |
| Agar | ISP 2 - growth/G | good |
| Agar | ISP 2 - colony color/R | ivory (1014) |
| Agar | ISP 2 - aerial mycelium/A | none |
| Agar | ISP 2 - soluble pigment/S | none |
| Agar | ISP 3 - G | decreased |
| Agar | ISP 3 - R | sand yellow (1002) |
| Agar | ISP 3 - A | none |
| Agar | ISP 3 - S | none |
| Agar | ISP 4 - G | none |
| Agar | ISP 4 - R | none |
| Agar | ISP 4 - A | none |
| Agar | ISP 4 - S | none |
| Agar | ISP 5 - G | none |
| Agar | ISP 5 - R | none |
| Agar | ISP 5 - A | none |
| Agar | ISP 5 - S | none |
| Agar | ISP 6 - G | / |
| Agar | ISP 6 - R | / |
| Agar | ISP 6 - A | / |
| Agar | ISP 6 - S | / |
| Agar | ISP 7 - G | good |
| Agar | ISP 7 - R | ivory (1014) |
| Agar | ISP 7 - A | none |
| Agar | ISP 7 - S | none |
| Agar | suter with tyrosine - G | decreased |
| Agar | suter with tyrosine - R | light ivory (1015) |
| Agar | suter with tyrosine - A | none |
| Agar | suter with tyrosine - S | none |
| Agar | suter without tyrosine - G | decreased |
| Agar | suter without tyrosine - R | light ivory (1015) |

Compendium of Actinobacteria from Dr. Joachim M. Wink
University of Braunschweig

| | | |
|---------------------------|--------------------------------|------|
| Agar | suter without tyrosine - A | none |
| Agar | suter without tyrosine - S | none |
| | Sporechains/Sporangia | |
| Physiology | | |
| Melanin | | - |
| pH | range | |
| pH | optimum | |
| temperature | range | |
| temperature | optimume | |
| sodium chloride tolerance | | 5% |
| lysozyme tolerance | | |
| use of carbohydrates | glucose | (+) |
| use of carbohydrates | arabinose | - |
| use of carbohydrates | sucrose | - |
| use of carbohydrates | xylose | + |
| use of carbohydrates | inositol | - |
| use of carbohydrates | mannose | - |
| use of carbohydrates | fructose | - |
| use of carbohydrates | rhamnose | - |
| use of carbohydrates | raffinose | - |
| use of carbohydrates | cellulose | - |
| Api zym | Phosphatase alkaline | 1 |
| Api zym | Esterase (C4) | 2 |
| Api zym | Esterase Lipase (C8) | 1 |
| Api zym | Lipase (C14) | 1 |
| Api zym | Leucin arylamidase | 5 |
| Api zym | Valine arylamidase | 1 |
| Api zym | Cystine arylamidase | 2 |
| Api zym | Trypsin | 0 |
| Api zym | Chymotrypsin | 0 |
| Api zym | Phosphatase acid | 4 |
| Api zym | Naphtol-AS-BI-phosphohydrolase | 2 |
| Api zym | alpha galactosidase | 0 |
| Api zym | beta galactosidase | 4 |
| Api zym | beta glucuronidase | 0 |
| Api zym | alpha glucosidase | 0 |
| Api zym | beta glucosidase | 0 |
| Api zym | N-acetyl-beta-glucoseamidase | 0 |
| Api zym | alpha mannosidase | 0 |
| Api zym | alpha fucosidase | 0 |
| Api coryne | nitrate reduction | - |
| Api coryne | Pyraziamidase | - |
| Api coryne | Pyrrolidonyl arylamidase | - |
| Api coryne | Alkaline phosphatase | - |

| | | |
|---------------|-------------------------------|---|
| Api coryne | beta glucuronidase | - |
| Api coryne | beta galactosidase | + |
| Api coryne | alpha glucosidase | - |
| Api coryne | N-acetyl -beta glucoseamidase | - |
| Api coryne | Esculin (beta glucosidase) | - |
| Api coryne | Urease | + |
| Api coryne | Gelatine(hydrolysis) | - |
| Api coryne | Glucose fermentation | - |
| Api coryne | Ribose fermentation | - |
| Api coryne | Xylose fermentation | - |
| Api coryne | Mannitol fermentation | - |
| Api coryne | Maltose fermentation | - |
| Api coryne | Lactose fermentation | - |
| Api coryne | Sucrose fermentation | - |
| Api coryne | Glycogen fermentation | - |
| Metabolites | | |
| Antimicrobial | Staphylococcus aureus | |
| Antimicrobial | Escherichia coli | |
| Antimicrobial | Micrococcus luteus | |
| Antimicrobial | Pseudomonas aeruginosa | |
| Antimicrobial | Streptomyces murinus | |
| Antimicrobial | Bacillus subtilis | |
| Antimicrobial | Candida albicans | |
| Antimicrobial | Saccharomyces cerevisiae | |
| Antimicrobial | Aspergillus niger | |

Apicoryne




Abbildung 1: Apicoryne-Teststreifen mit Keim DSM 22806.

Apizym




Abbildung 2: Apizym-Teststreifen mit Keim DSM 22806

Plates (92, ISP2, ISP3, ISP4, ISP5, ISP7)



(5436-H, 5436+H, SSM+T, SSM-T)



Carbon utilization test (from top left to bottom right: glucose, arabinose, sucrose, xylose, inositol, mannose, fructose, rhamnose, raffinose, cellulose)

Sodium chloride tolerance test (from top left to bottom right: 0%, 2,5%, 5%, 7,5%, 10%)

