

Name: ***Nocardia terpenica***

Authors: Hoshino et al. 2007

Status: New Species

Literature: Int. J. Syst. Evol. Microbiol. 57: 1459

Risk group: 2 (German classification)

Type strain: DSM 44935, IFM 0706, JCM 13033, NBRC 100888

Author: Hoshino Y;Watanabe K;lida S;Suzuki S;Kudo T;Kogure T;Yazawa K;Ishikawa J;Kroppenstedt RM;Mikami Y

Title: *Nocardia terpenica* sp. nov., isolated from Japanese patients with nocardiosis

Journal: Int J Syst Evol Microbiol

Volume: 57

Page: 1456-1460

Year: 2007



Api Zym

**Genus:** *Nocardia* **FH 6860**

**Species:** *terpenica*

**Numbers in other collections:** DSM 44935

**Morphology:**

	G	R
<u>ISP 2</u>	good	ivory
	A	SP
	none	none
	G	R
<u>ISP 3</u>	sparse	cream
	A	SP
	none	none
	G	R
<u>ISP 4</u>	none	
	A	SP
	G	R
<u>ISP 5</u>	sparse	cream
	A	SP
	none	none
	G	R
<u>ISP 6</u>	sparse	cream
	A	SP
	cream	none
	G	R
<u>ISP 7</u>	sparse	cream
	A	SP
	olive grey	none

**Melanoid pigment:** - - - -

**NaCl resistance:** %

**Lysozyme resistance:**

**pH:** Value- Optimum-

**Temperature :** Value- Optimum- °C


**Carbon utilization:**

Glu	Ara	Suc	Xyl	Ino	Man	Fru	Rha	Raf	Cel
+	-	-	-	+	+	-	-	-	-

**Enzymes:**

2+	3+	4+	5-	6+	7-	8-	9-	10-	11+
12+	13-	14-	15-	16+	17+	18+	19+	20-	

**Comments:**



***Nocardia terpenica***

Agar plates medium 5006, 5265 and 5315 (upper)  
Microplate with ISP- and melanin media