

Name: ***Nonomuraea rosea***

Authors: Kämpfer et al. 2010

Status: sp. nov. (VP)

Reference: Int. J. Syst. Evol. Microbiol. 60:1123

Type strain: CCUG 56107, DSM 45177, GW 12687

Author: Kämpfer P; Busse HJ; Tindall BJ; Nimtz M; Grün-Wollny I;

Title: *Nonomuraea rosea* sp. nov.

Journal: Int J Syst Evol Microbiol

Volume: 60

Page: 1118-1124

Year: 2010



Api Zym

**Genus:** *Nonomuraea* FH 8097

**Species:** *rosea*

**Numbers in other collections:** DSM 45177

**Morphology:**

	G	R
<u>ISP 2</u>	good	colorless
	A	SP
	none	none
	G	R
<u>ISP 3</u>	good	colorless
	A	SP
	none	none
	G	R
<u>ISP 4</u>	good	wine red
	A	SP
	none	none
	G	R
<u>ISP 5</u>	good	wine red
	A	SP
	none	none
	G	R
<u>ISP 6</u>	good	colorless
	A	SP
	none	none
	G	R
<u>ISP 7</u>	good	wine red
	A	SP
	none	none

**Melanoid pigment:** - - - -

**NaCl resistance:** %

**Lysozyme resistance:**

**pH:** Value- Optimum-

**Temperature :** Value- Optimum- 28°C



**Carbon utilization:**

Glu	Ara	Suc	Xyl	Ino nd.	Man	Fru	Rha	Raf	Cel
-----	-----	-----	-----	------------	-----	-----	-----	-----	-----

**Enzymes:**

2+	3-	4(+)	5-	6+	7-	8-	9-	10-	11-
12+	13+	14+	15-	16+	17+	18+	19-	20-	

**Comments:**



Compendium of Actinobacteria from Dr. Joachim M. Wink  
University of Braunschweig