

Compendium of Actinobacteria from Dr. Joachim M. Wink
University of Braunschweig

Strain		DSM 45277
Genus		<i>Nocardioopsis</i>
Species		<i>sinuspersici</i>
Status		
Risk group		L1
Type strain		HM6, CCUG 57624, UTMC 00102
Reference		
Author		Hamed, J., Mohammadipanah, F., von, J. M., Pötter, G., Schumann, P., Spröer, C., Klenk, H. P., Kroppenstedt, R. M.
Title		<i>Nocardioopsis sinuspersici</i> sp. nov., isolated from sandy rhizospheric soil.
Journal		<i>Int J Syst Evol Microbiol</i>
Volume		60 (Pt 10)
Page		2346-2352
Year		2010
Morphology		
Agar	ISP 2 - growth/G	good
Agar	ISP 2 - colony color/R	ivory (1014)
Agar	ISP 2 - aerial mycelium/A	signal white (9003)
Agar	ISP 2 - soluble pigment/S	none
Agar	ISP 3 - G	good
Agar	ISP 3 - R	ivory (1014)
Agar	ISP 3 - A	signal white (9003)
Agar	ISP 3 - S	none
Agar	ISP 4 - G	good
Agar	ISP 4 - R	ivory (1014) / maize yellow (1006)
Agar	ISP 4 - A	signal white (9003)
Agar	ISP 4 - S	none
Agar	ISP 5 - G	good
Agar	ISP 5 - R	ivory (1014)
Agar	ISP 5 - A	none
Agar	ISP 5 - S	none
Agar	ISP 6 - G	good
Agar	ISP 6 - R	ivory (1014)
Agar	ISP 6 - A	signal white (9003)
Agar	ISP 6 - S	none
Agar	ISP 7 - G	good
Agar	ISP 7 - R	ivory (1014) / grey beige (1019)
Agar	ISP 7 - A	signal white (9003)
Agar	ISP 7 - S	light ivory (1015)
Agar	suter with tyrosine - G	good
Agar	suter with tyrosine - R	pale brown (8025)
Agar	suter with tyrosine - A	signal white (9003)
Agar	suter with tyrosine - S	olive brown (8008)
Agar	suter without tyrosine - G	good

Compendium of Actinobacteria from Dr. Joachim M. Wink
University of Braunschweig

Agar	suter without tyrosine - R	ivory (1014)
Agar	suter without tyrosine - A	sparse
Agar	suter without tyrosine - S	none
	Sporechains/Sporangia	
Physiology		
Melanin		+
pH	range	
pH	optimum	
temperature	range	
temperature	optimum	
sodium chloride tolerance		10%
lysozyme tolerance		
use of carbohydrates	glucose	+
use of carbohydrates	arabinose	+
use of carbohydrates	sucrose	+
use of carbohydrates	xylose	(+)
use of carbohydrates	inositol	-
use of carbohydrates	mannose	(+)
use of carbohydrates	fructose	(+)
use of carbohydrates	rhamnose	(+)
use of carbohydrates	raffinose	++
use of carbohydrates	cellulose	-
Api zym	Phosphatase alkaline	4
Api zym	Esterase (C4)	2
Api zym	Esterase Lipase (C8)	3
Api zym	Lipase (C14)	1
Api zym	Leucin arylamidase	5
Api zym	Valine arylamidase	1
Api zym	Cystine arylamidase	1
Api zym	Trypsin	0
Api zym	Chymotrypsin	2
Api zym	Phosphatase acid	4
Api zym	Naphtol-AS-BI-phosphohydrolase	5
Api zym	alpha galactosidase	0
Api zym	beta galactosidase	0
Api zym	beta glucuronidase	0
Api zym	alpha glucosidase	4
Api zym	beta Glucosidase	5
Api zym	N-acetyl-beta-glucoseamidase	3
Api zym	alpha mannosidase	0
Api zym	alpha fucosidase	0
Api coryne	nitrate reduction	+
Api coryne	Pyraziamidase	-
Api coryne	Pyrrolidonyl arylamidase	-

Api coryne	Alkaline phosphatase	+
Api coryne	beta glucuronidase	-
Api coryne	beta galactosidase	-
Api coryne	alpha glucosidase	+
Api coryne	N-acetyl -beta glucoseamidase	+
Api coryne	Esculin (beta glucosidase)	-
Api coryne	Urease	(+)
Api coryne	Gelatine(hydrolysis)	(+)
Api coryne	Glucose fermentation	-
Api coryne	Ribose fermentation	-
Api coryne	Xylose fermentation	-
Api coryne	Mannitol fermentation	-
Api coryne	Maltose fermentation	-
Api coryne	Lactose fermentation	-
Api coryne	Sucrose fermentation	-
Api coryne	Glycogen fermentation	-
Metabolites		
Antimicrobial	Staphylococcus aureus	
Antimicrobial	Escherichia coli	
Antimicrobial	Micrococcus luteus	
Antimicrobial	Pseudomonas aeruginosa	
Antimicrobial	Streptomyces murinus	
Antimicrobial	Bacillus subtilis	
Antimicrobial	Candida albicans	
Antimicrobial	Saccharomyces cerevisiae	
Antimicrobial	Aspergillus niger	

Apicoryne



Abbildung 1: Apicoryne-Teststreifen mit Keim DSM 45277.

Apizym



Abbildung 2: Apizym-Teststreifen mit Keim DSM 45277.



Plates (GYM, ISP2, ISP3, ISP4, ISP5, ISP7)



(ISP6, SSM+T, SSM-T)



Carbon utilization test (from top left to bottom right: glucose, arabinose, sucrose, xylose, inositol, mannose, fructose, rhamnose, raffinose, cellulose)



Sodium chloride tolerance test (from top left to bottom right: 0%, 2,5%, 5%, 7,5%, 10%)

