

Compendium of Actinobacteria from Dr. Joachim M. Wink
University of Braunschweig

| | | |
|--------------------|---------------------------|--|
| Strain | | DSM 45659 |
| Genus | | <i>Actinophytocola</i> |
| Species | | <i>corallina</i> |
| Status | | |
| Risk group | | L1 |
| Type strain | | ID 06-A0464, BTCC B-674, NBRC 105525 |
| Reference | | |
| Author | | Otoguro, M., Yamamura, H., Tamura, T., Irzaldi, R., Ratnakomala, S., Ridwan, R., Kartina, G., Triana, E., Nurkanto, A., Lestari, Y., Lisdiyanti, P., Widayastuti, Y., Ando, K. |
| Title | | <i>Actinophytocola timorensis</i> sp. nov. and <i>Actinophytocola corallina</i> sp. nov., isolated from soil. |
| Journal | | <i>Int J Syst Evol Microbiol</i> |
| Volume | | 61 (Pt 4) |
| Page | | 834-838 |
| Year | | 2011 |
| Morphology | | |
| Agar | ISP 2 - growth/G | good |
| Agar | ISP 2 - colony color/R | sand yellow (1002) |
| Agar | ISP 2 - aerial mycelium/A | none |
| Agar | ISP 2 - soluble pigment/S | none |
| Agar | ISP 3 - G | good |
| Agar | ISP 3 - R | ivory (1014) |
| Agar | ISP 3 - A | none |
| Agar | ISP 3 - S | none |
| Agar | ISP 4 - G | good |
| Agar | ISP 4 - R | light ivory (1015) |
| Agar | ISP 4 - A | none |
| Agar | ISP 4 - S | none |
| Agar | ISP 5 - G | decreased |
| Agar | ISP 5 - R | silk grey (7044) |
| Agar | ISP 5 - A | none |
| Agar | ISP 5 - S | none |
| Agar | ISP 6 - G | / |
| Agar | ISP 6 - R | / |
| Agar | ISP 6 - A | / |
| Agar | ISP 6 - S | / |
| Agar | ISP 7 - G | decreased |
| Agar | ISP 7 - R | cream (9001) |
| Agar | ISP 7 - A | none |
| Agar | ISP 7 - S | pearl orange (2013) |
| Agar | suter with tyrosine - G | good |
| Agar | suter with tyrosine - R | pebble grey (7032) |

| | | |
|----------------------------------|---------------------------------------|---------------------------|
| Agar | suter with tyrosine - A | none |
| Agar | suter with tyrosine - S | none |
| Agar | suter without tyrosine - G | good |
| Agar | suter without tyrosine - R | cream (9001) |
| Agar | suter without tyrosine - A | sand yellow (1002) |
| Agar | suter without tyrosine - S | none |
| | Sporechains/Sporangia | |
| Physiology | | |
| Melanin | | - |
| pH | range | |
| pH | optimum | |
| temperature | range | |
| temperature | optimume | |
| sodium chloride tolerance | | 7,5% |
| lysozyme tolerance | | |
| use of carbohydrates | glucose | + |
| use of carbohydrates | arabinose | - |
| use of carbohydrates | sucrose | - |
| use of carbohydrates | xylose | - |
| use of carbohydrates | inositol | - |
| use of carbohydrates | mannose | (+) |
| use of carbohydrates | fructose | (+) |
| use of carbohydrates | rhamnose | - |
| use of carbohydrates | raffinose | - |
| use of carbohydrates | cellulose | (+) |
| Api zym | Phosphatase alcaline | 5 |
| Api zym | Esterase (C4) | 2 |
| Api zym | Esterase Lipase (C8) | 3 |
| Api zym | Lipase (C14) | 0 |
| Api zym | Leucin arylamidase | 4 |
| Api zym | Valine arylamidase | 3 |
| Api zym | Cystine arylamidase | 0 |
| Api zym | Trypsin | 2 |
| Api zym | Chymotrypsin | 5 |
| Api zym | Phosphatase acid | 5 |
| Api zym | Naphtol-AS-BI-phosphohydrolase | 3 |
| Api zym | alpha galactosidase | 1 |
| Api zym | beta galactosidase | 4 |
| Api zym | beta glucuronidase | 0 |
| Api zym | alpha glucosidase | 5 |
| Api zym | beta glucosidase | 2 |
| Api zym | N-acetyl-beta-glucosaminidase | 5 |
| Api zym | alpha mannosidase | 0 |
| Api zym | alpha fucosidase | 0 |

| | | |
|-------------------|--------------------------------------|-----|
| Api coryne | nitrate reduction | - |
| Api coryne | Pyraziamidase | - |
| Api coryne | Pyrrolidonyl arylamidase | - |
| Api coryne | Alkaline phosphatase | + |
| Api coryne | beta glucuronidase | - |
| Api coryne | beta galactosidase | (+) |
| Api coryne | alpha glucosidase | (+) |
| Api coryne | N-acetyl -beta glucoseamidase | + |
| Api coryne | Esculin (beta glucosidase) | - |
| Api coryne | Urease | - |
| Api coryne | Gelatine(hydrolysis) | + |
| Api coryne | Glucose fermentation | - |
| Api coryne | Ribose fermentation | - |
| Api coryne | Xylose fermentation | - |
| Api coryne | Mannitol fermentation | - |
| Api coryne | Maltose fermentation | - |
| Api coryne | Lactose fermentation | - |
| Api coryne | Sucrose fermentation | - |
| Api coryne | Glycogen fermentation | - |

Apicoryne




Abbildung 1: Apicoryne-Teststreifen mit Keim DSM 45659.

Apizym




Abbildung 2: Apizym-Teststreifen mit Keim DSM 45659.



Plates (GYM, ISP2, ISP3, ISP4, ISP5, ISP7)



(SSM+T, SSM-T)



Carbon utilization test (from top left to bottom right: glucose, arabinose, sucrose, xylose, inositol, mannose, fructose, rhamnose, raffinose, cellulose)



**Sodium chloride tolerance test (from top left to bottom right: 0%, 2,5%, 5%,
7,5%, 10%)**

